AMENDMENTS TO THE CLAIMS

Claim 1 (Currently Amended) A vital data utilization system comprising:

a server;

a receiving apparatus; and

a plurality of measurement instruments,

wherein said server, said receiving apparatus and said measurement instruments are connected to each other via a communication network,

wherein each of said measurement instruments includes:

a vital data measurement <u>unitdevice</u> operable to measure vital data of a <u>respective</u> subject, the vital data serving as an indicator of infection; and

a sending <u>unitdevice</u> operable to send, to said server, the measured vital data, wherein said server includes:

a receiving <u>unitdevice</u> operable to receive a <u>plurality of vital data including the</u>

<u>measured vital data</u>, the <u>plurality of vital data being received</u> from said <u>plurality of measurement</u>

instruments, a <u>plurality of vital data</u>, one of which being the vital data;

a storage unitdevice operable to store hold each vital data of the plurality of received vital data, each vital data being stored in association with at least one of (i) measurement position information indicating a position of said each a respective measurement instrument of said plurality of measurement instruments and (ii) residence information indicating a position of a respective each subject's residence of a subject at which said each the respective measurement instrument is placed;

a database making unit device operable to store the received plurality of received

vital data into said storage <u>unitdevice</u> and operable to make a database <u>including the plurality of</u>
received vital data, each respective vital data of the plurality received of vital data being stored
in the database in association with at least one of the (i) measurement position information and
(ii) residence information;

a value-added information making unitdevice operable to process each-compute the respective vital data stored in the database for each respective subject identified of a plurality of subjects stored in the database, the processing being based on the at least one of the (i) measurement position information and (ii) residence information, associated with each respective vital data stored in the database, and operable to make, from the processed vital data, value-added information indicating, using contour lines on a map, a geographical distribution of epidemic degrees of the infection indicated by each respective the vital data stored in the database; and

a value-added information providing unitdevice operable to provide said receiving apparatus with the made value-added information, and

wherein said receiving apparatus includes[[:]] an output unitdevice operable to receive the value-added information provided by said value-added information providing unitdevice, and operable to present and output, by presenting, the value added information using the contour lines on the map, the geographical distribution of the epidemic degrees of the infection.

Claim 2 (Currently Amended) The vital data utilization system according to Claim 1,

wherein each measurement instrument of said plurality of measurement instruments

further includes

— a clock unitdevice operable to detect a measurement time at which the vital data is measured.

wherein said sending unitdevice is operable to send, to said server, a set of information including the measured vital data and further the measurement time,

wherein, in said server,

wherein said receiving unitdevice of said server is operable to receive, from said plurality of measurement instruments, a plurality of sets of information,

wherein said storage unitdevice of said server is operable to store hold the plurality of sets of information, each respective set of information including the respective vital data and the a respective measurement time and each respective set of information being stored in association with at least one of the (i) measurement position information and (ii) residence information,

wherein said database making unitdevice of said server is operable to store the received plurality of received sets of information into said storage unitdevice and operable to make a database including the plurality of received sets of information, each respective set of information being stored in the database in association with at least one of the (i) measurement position information and (ii) residence information, and

wherein said value-added information making unit device of said server is operable to process each respective compute the vital data of each respective set of information stored in the

database for each respective subject identified of the plurality of subjects stored in the database in association with the a respective measurement time and operable to make, from the processed respective vital data stored in the database for each subject identified in the database in association with the respective measurement time, value-added information indicating, using contour lines on maps, changes over time of the geographical distributions of epidemic degrees of the infection indicated by the subjects' each respective vital data.

Claim 3 (Currently Amended) The vital data utilization system according to Claim 1, wherein said vital data measurement unit device is operable to quantitatively measure the subjects' vital data.

Claim 4 (Currently Amended) The vital data utilization system according to Claim 1, wherein said sending unitdevice is operable to further add, to respective sets of information, each respective set of information including respective vital data, respective measurement instrument identification information—for identifying a corresponding measurement instrument and operable to send the respective sets of information including the respective measurement identification information to said server.

wherein said storage unit is operable to store the plurality of sets of information, each respective set of information including respective vital data and respective measurement instrument identification information and each respective set of information being stored in association with at least one of the (i) measurement position information and (ii) residence information,

said storage unit is operable to store at least one of the (i) measurement positioninformation indicating the position of the respective measurement instruments and (ii) residence
information indicating the positions of the subjects' residence at which the respective
measurement instruments are placed, and

wherein said value-added information making unit device is operable to read out, from said storage unit device, at least one of the (i) measurement position information and (ii) residence information, based on the received measurement instrument identification information received from the server, and operable to compute process the respective vital data based on at least one of the read-out information.

Claim 5 (Currently Amended) The vital data utilization system according to Claim 1, wherein said sending unitdevice is operable to further add, to respective sets of information, each respective set of information including respective vital data, at least one of the (i) measurement position information indicating the positions of the respective measurement instruments and (ii) residence information indicating the positions of the subjects' residence at which the respective measurement instruments are placed, and operable to send the resulting respective sets of information to said server, and

wherein said value-added information making unitdevice is operable to process compute the respective vital data, of each respective set of information received from said sending unit, based on at least one of the (i) received measurement position information received from said sending device and (ii) residence information received from said sending device.

Claim 6 (Currently Amended) The vital data utilization system according to Claim 1,

wherein said database making <u>unitdevice</u> is operable to update the database each time-ofreceiving at least one new set of information including the vital data is received, and

wherein said value-added information making unitdevice is operable to update the value-added information based on the updated database.

Claim 7 (Currently Amended) The vital data utilization system according to Claim 1, wherein said receiving apparatus is placed in at least one of a hospital, a public facility excluding except a hospital, and subject's a house of a subject.

Claim 8 (Cancelled)

Claim 9 (Currently Amended) The vital data utilization system according to Claim 1-Claim 8, wherein the vital data which is an indicator of an infection is at least one of body temperature, blood pressure, pulse, cardiograph, oxygen saturation in blood, accelerated pulse wave velocity, the a number of white blood cells, C-reactive protein concentration in blood (CRP), protein concentration in urine, glucose concentration in urine, amino acid concentration in urine and feces viscosity.


Claim 10 (Currently Amended) The vital data utilization system according to Claim 9, wherein the protein concentration in urine is at least one of albumin, globulin, hemoglobin and myoglobin.

Claim 11 (Currently Amended) The vital data utilization system according to Claim 1, wherein said vital data measurement unit device is located placed at housing equipment in a house of the subject-subject's house.

Claim 12 (Currently Amended) The vital data utilization system according to Claim 11, wherein the housing equipment is one of a toilet apparatus and or a bed, and wherein said vital data measurement unit device includes at least one of a thermometer, a blood-pressure meter, a pulsimeter, an electrocardiograph, and a meter of oxygen saturation in blood, that are for measuring the vital data, and said vital data measurement unit device measures the vital data at the a time when the subject uses one of the toilet apparatus or and the bed.

Claim 13 (Currently Amended) The vital data utilization system according to Claim 11, wherein the housing equipment is a toilet apparatus, and wherein said vital data measurement unitdevice includes a urine analyzer and measures the vital data at a-the-time when the subject uses the toilet apparatus.

Claim 14 (Currently Amended) The vital data utilization system according to Claim 13, wherein the urine analyzer (i) mixes urine of the subject and a reagent including an antibody that specifically combines with an analysis target component, (ii) measures turbidity of a resulting mixed solution, and (iii) measures the analysis target component in the urine.



Claim 17 (Currently Amended) The vital data utilization system according to Claim 16, wherein said incentive calculation <u>unitdevice</u> is operable to add, to a charge calculated by said charging <u>unitdevice</u>, a value of the incentive-to <u>for</u> each subject.

Claim 18 (Currently Amended) The vital data utilization system according to Claim 16, wherein said incentive calculation unitdevice is operable to calculate points to be exchanged for at least one of (i) a right to receive the value-added information, (ii) a right to receive a discount from a rate of the value-added information, (iii) a right to receive a free distribution of or a discount from a sale price of a commodity to be used by said vital data measurement unitdevice, (iv) a right to receive another service, and (v) a right to receive a free distribution of or a discount from a sale price of another commodity.

Claim 19 (Currently Amended) The vital data utilization system according to Claim 1,

wherein said receiving apparatus is a mobile type apparatus and further includes a present position detection <u>unitdevice</u> operable to detect a present position, and

wherein said output unit device is operable to receive value-added information indicating a geographical distribution of epidemic degrees of the infection indicated by each respective the vital data of the respective subjects located who are at the detected present position and located at a peripheral part of the detected present position, and operable to present and output, by presenting, the value added information using contour lines on a map, the geographical distribution of the epidemic degrees of the infection.

Claim 20 (Currently Amended) A server in a system in which said server, a receiving apparatus and a plurality measurement instruments are connected to each other via a communication network, said server comprising:

a receiving unitdevice operable to receive a plurality of sets of information, each respective set of information including respective measured vital data and a respective measurement time at which the respective vital data is measured, the plurality of sets of information being received from a the plurality of measurement instruments, a plurality of sets of information including measured vital data and measurement time, the vital data serving as an indicator of infection;

a storage <u>unitdevice</u> operable to <u>store hold each respective set of information of</u> the plurality of <u>received</u> sets of information, <u>each respective set of information being stored</u> in association with at least one of (i) measurement position information indicating a position of <u>the each a respective</u> measurement instrument <u>of the plurality of measurement instruments</u> and (ii)

residence information indicating a position of <u>a respective each subject's</u> residence <u>of a subject</u> at which the each the respective measurement instrument is placed;

a database making <u>unitdevice</u> operable to store the <u>received</u> plurality of <u>received</u> sets of <u>information</u> into said storage <u>unitdevice</u> and operable to make a database <u>including the plurality</u> of received sets of information, each respective set of information of the plurality of received sets of information being stored in the database in association with at least one of the (i) measurement position information and (ii) residence information;

a value-added information making unitdevice operable to process each-compute the respective vital data of each respective set of information stored in the database for each respective subject identified of a plurality of subjects stored in the database in association withthe a respective measurement time at which respective vital data is measured, and operable to make, from the processed respective vital data stored in the database for each subject identified in the database in association with the respective measurement time, value-added information-having an additional value indicating, using contour lines on maps, a geographical distributions-distribution of epidemic degrees of the infection indicated by each respective the vital data or changes over time of the geographical distributions of epidemic degrees of the infection indicated by each respective vital data, based on at least one of the measurement position information and the residence information; and

a value-added information providing <u>unitdevice</u> operable to provide the receiving apparatus with the <u>made</u> value-added information.

Claim 21 (Currently Amended) The server according to Claim 20,

wherein said receiving <u>unitdevice</u> is operable to receive, from the <u>respective each</u>

<u>respective measurement instrument instruments, a respective set sets</u> of information to which measurement instrument identification information for identifying the <u>respective respectively eorresponding</u> measurement instrument instruments are further is added,

wherein said storage unitdevice is operable to previously hold store at least one of the (i) measurement position information indicating positions of the respective measurement instruments and (ii) residence information indicating positions of subjects' residences at which the respective measurement instruments are placed, and

wherein said value-added information making unitdevice is operable to read out, from said storage unitdevice, at least one of the (i) measurement position information and (ii) residence information, based on the received measurement instrument identification information, and operable to process compute the respective vital data based on at least one of the read-out information.

Claim 22 (Currently Amended) The server according to Claim 20,

wherein said receiving <u>unitdevice</u> is operable to receive, from <u>the each</u> respective measurement <u>instrument</u>, <u>instruments</u>, the <u>sets</u> a respective set of information to which at least one of the (i) measurement position information <u>indicating</u> the position of the each measurement instrument and (ii) residence information <u>indicating</u> the position of each subject's residence is further added, and

wherein said value-added information making unitdevice is operable to process compute the respective each vital data based on at least one of the (i) received measurement instrument

position information and (ii) received residence information.

Claim 23 (Currently Amended) The server according to Claim 20,

wherein said database making <u>unitdevice</u> is operable to update the database each time-ofreceiving at least one new set of information <u>including the measured vital data is received</u>, and

<u>wherein said value-added information making unitdevice</u> is operable to update the valueadded information based on the updated database.

Claim 24 (Currently Amended) A vital data utilization method of using used for a system in which a server, a receiving apparatus, and a plurality of measurement instruments are connected-to each other via a communication network, said vital data utilization method comprising:

using each respective in the measurement instrument instruments for:[[,]]

measuring respective vital data of a respective subject, the vital data serving as an indicator of infection;

detecting a respective measurement time at which the respective vital data is measured; and

sending, to the server, a <u>respective</u> set of information including the measured_ <u>respective</u> vital data and the <u>respective</u> measurement time[[,]];

using in the server, including a storage unit device operable to hold store a plurality of sets of information, each set of information including measured respective vital data and a respective measurement time, one of which being the set of information, for:

receiving, from the plurality of measurement instruments, the plurality of sets of

information, one of which being the set of information;

sets of information into the storage unitdevice, each respective set of information being stored in association with at least one of (i) measurement position information indicating a position
positions of the a respective measurement instrument of the plurality of measurement instruments and (ii) residence information indicating a position-positions of a respective subjects' residences residence of a subject at which the respective measurement instrument is instruments are placed and;

making a database including the plurality of received sets of information;

making value-added information indicating, using contour lines on maps, a
geographical distributions distribution of epidemic degrees of the infection indicated by the each
respective vital data or changes over time of the geographical distributions based on at least one
of the (i) measurement position information and (ii) residence information associated withincluded in each respective set the sets of information identifying of a respective subject plurality
of subjects that are stored in the database; and

providing the receiving apparatus with the made value-added information, and; and

<u>usingin</u> the receiving apparatus[[,]] <u>for presenting and outputting</u> the value-added information provided in said providing of the value-added information.

Claim 25 (Currently Amended) A vital data utilization method of using for a server in a system in which the server, a receiving apparatus, and a plurality of measurement instruments are

connected to each other via a communication network, the server further including a storage unit device operable to hold store sets of information including of vital data, the said vital data utilization method comprising:

receiving, from the plurality of measurement instruments, a plurality of sets of information, each respective set of information including measured a respective vital data and respective measurement time at which the respective vital data is measured, the vital data serving as an indicator of infection;

storing each respective set of information of the received plurality of received sets of information into the storage unitdevice, each respective set of information being stored in association with at least one of (i) measurement position information indicating a position-positions of the a respective measurement instrument of the plurality of measurement instruments and (ii) residence information indicating a postion-positions of a respective residence of a respective subject subjects' residences at which the respective measurement instrument is-instruments are placed; and

making a database including the plurality of received sets of information;

making value-added information indicating, using contour lines on maps, a geographical distributions distribution of epidemic degrees of the infection indicated by the each respective vital data or changes over time of the geographical distributions based on at least one of the (i) measurement position information and (ii) residence information included in each respective setthe sets of information identifying a respective subject of the plurality of subjects that are stored in the database; and

providing the receiving apparatus with the made value-added information.

Claim 26 (Cancelled)

Claim 27 (Currently Amended) A computer-readable recording medium <u>having a program</u> recorded thereon on which a computer-executable program is recorded, the program causing a computer to execute a method comprising:

receiving, from a plurality of measurement instruments, a plurality of sets of information, each respective set of information including measured respective vital data and a respective measurement time at which the respective vital data is measured, the vital data serving as an indicator of infection;

storing each respective set of information of the received plurality of sets of information into the storage unit device, each respective set of information being stored in association with at least one of (i) measurement position information indicating a position positions of the a respective measurement instrument of the plurality of measurement instruments and (ii) residence information indicating a position positions of a respective residence of a respective subject subjects' residences at which the respective measurement instrument is instruments are placed; and

making a database including the plurality of received sets of information;

making value-added information indicating, using contour lines on maps, a geographical distributions distribution of epidemic degrees of the infection indicated by each respective the vital data or changes over time of the geographical distributions based on at least one of the (i) measurement position information and (ii) residence information included in the sets each

respective set of information identifying a respective subject of a plurality of subjects that are stored in the database; and

providing the receiving apparatus with the made value-added information.

Claim 28 (Cancelled)

Claim 29 (Currently Amended) A receiving apparatus in a system in which a server, said receiving apparatus and a plurality of measurement instruments are connected to each other via a communication network, said receiving apparatus comprising:

an output <u>unitdevice</u> operable to receive information provided by the server, and operable to <u>present and</u> output, <u>by presenting</u>, the <u>received</u> information,

wherein, in the system, each of the measurement instruments includes:

a vital data measurement <u>unitdevice</u> operable to measure <u>respective</u> vital data of a <u>respective</u> subject, the vital data serving as an indicator of infection;

a clock <u>unitdevice</u> operable to detect <u>a respective</u> measurement time at which the <u>respective</u> vital data is measured; and

a sending <u>unitdevice</u> operable to send, to the server, a <u>respective</u> set of information including the <u>respective measured</u> vital data and the <u>respective measurement</u> time, wherein the server includes:

a receiving unitdevice operable to receive a plurality of sets of information, each respective set of information including the respective vital data and the respective measurement time, the plurality of sets of information being received from a the plurality of measurement

instruments, a plurality of sets of information, one of which being the set of information;

a storage <u>unitdevice</u> operable to <u>hold</u> <u>store</u> each <u>respective</u> set of information of the plurality of sets of information, each set of information being <u>stored</u> in association with at least one of (i) measurement position information indicating a <u>position</u> of a <u>positions</u> of respective measurement <u>instrument</u> of the <u>plurality</u> of <u>measurement</u> instruments and (ii) residence information indicating a <u>position</u> of a <u>residence</u> of a <u>subject</u> <u>positions</u> of <u>subjects</u>, residences at which the respective measurement <u>instrument instruments</u> are is placed;

a database making <u>unitdevice</u> operable to store the <u>received</u> plurality of <u>received</u> sets of information into the storage <u>unitdevice</u> and operable to make a database <u>including the</u> <u>plurality of received sets of information, each respective set of information being stored in the database in association with at least one of the (i) measurement position information and (ii) residence information;</u>

a value-added information making unitdevice operable to process each respective vital data of each respective set of information stored in the database for each respective subject identified compute the vital data of a plurality of subjects stored in the database in association with the respective measurement time and operable to make, from the processed respective vital data of each respective set of information stored in the database for each subject identified in the database in association with the respective measurement time, value-added information indicating, using contour lines on maps, a geographical distributions-distribution of epidemic degrees of the infection indicated by each respective the vital data or changes over time of the geographical distributions of epidemic degrees of the infection indicated by each respective vital data; and

a value-added information providing unitdevice operable to provide said receiving apparatus with the made value-added information[[,]]; and

wherein said output <u>unitdevice</u> is operable to receive the value-added information provided by said value-added information providing <u>unitdevice</u>, and operable to <u>present and</u> output, by presenting, using the contour lines on the maps, the geographical distributions of the epidemic degrees of the infection the value-added information.

Claim 30 (Currently Amended) The receiving apparatus according to Claim 29, the receiving apparatus being a mobile type apparatus and further comprising

———a present position detection unitdevice operable to detect a present position,

wherein said output unitdevice is operable to receive value-added information indicating a geographical distribution of epidemic degrees of the infection indicated by each respective the vital data of the plurality of respective subjects located who are at the detected present position and located at a peripheral part of the detected present position, and operable to present and output, by presenting, the value added information using the contour lines on the maps, the geographical distributions of the epidemic degrees of the infection.